The Research of Medical Science Review
ISSN: 3007-1208 & 3007-1216 Volume 4, Issue 3, 2026

LEVERAGING TECHNOLOGY FOR DIABETES MANAGEMENT AND FUTURE APPROACHES: A REVIEW

Aleeza Talat[1], Shahzadi Rimsha[2], Afeefa Tamkeen[3], Nokhba Naqi[4], Syeda Nazish Sohaib[5], Arooj Komal[6], Umair Ilyas[7], Sidra Kaleem[*8]

[1,2,3,4,5,6,7, *8]*Riphah Institute of Pharmaceutical Sciences, Riphah International University, Islamabad*

[1]talataleeza@gmail.com, [2]shahzadirimsha1997@gmail.com, [3]afeefatamkeen69@gmail.com
[4]nukhbanaqi@gmail.com, [5]nazish.sohaib@riphah.edu.pk, [6]arooj.komal@riphah.edu.pk
[7]umair.ilyas@riphah.edu.pk, [*8]sidra.kaleem@riphah.edu.pk

DOI: https://doi.org/10.5281/zenodo.19330544

Keywords
Diabetes Mellitus, Management, Innovative/ Modern technologies, Smart apps, Artificial intelligence (AI).

Article History
Received: 29 January 2026
Accepted: 15 March 2026
Published: 30 March 2026

Copyright @Author
Corresponding Author: *
Sidra Kaleem

Abstract

Diabetes Mellitus refers to a group of diseases resulting in inconsistent glucose supply to the body cells caused by different hormonal and metabolic abnormalities. Glucose is the body's primary fuel, especially for the brain and muscles. While the causes of diabetes differ depending on the type, they all lead to the same core problem of too much sugar in the blood, which can result in serious, lifelong health challenges. The increasingly significant global health burden due to Diabetes Mellitus has become a major concern. This necessitates the application of innovative methods combined with personalized medical interventions for the management of diabetes and increasing the quality of life for current patients and future suspects who are on the verge of developing diabetes. To evaluate the current management of diabetes from the perspective of modern technology applications like CGM (Continuous Glucose Monitoring), AID (Automated Insulin Delivery), MHAs (Mobile Health Applications), Telemedicine & AI (Artificial Intelligence), this article reviewed over seventy scholarly articles. We surveyed the clinical efficiencies of these methods, challenges in implementation and adoption, and approachable supervision for the accomplishment of equitable, viable, and patient-centered goals. The consolidation and integration of these modern techniques, along with the traditional practices, have the potential to redefine diabetes management into a precise and dynamic regimen.

INTRODUCTION:

Diabetes Mellitus is a chronic metabolic disorder that affects over 382 million people around the globe. Conventional treatment options include lifetime dependency on oral hypoglycemic medications, insulin therapy, and vigorous lifestyle changes. Adding a considerable economic and health nuisance. (Nadeem *et al.*, 2021; Aloke *et al.*, 2022; Makroum *et al.*, 2022; Tobias *et al.*, 2023)The modernized approach utilizing advanced technology applications has revolutionized diabetes management by incorporating innovative techniques for enhanced monitoring, balanced treatment, patient engagement, and clinical decision-making. (Penfornis, Personeni and Borot, 2011; Dovc and Battelino, 2020; Isma'il, Isma'il, M. Y. and Umar, A. F., 2024)This review article incorporates the insights from over one hundred scholarly articles to analyze the utilization of modern technology in diabetes management, including their clinical efficacies, future trajectories with emphasis on

continuous glucose monitoring (CGM), automated insulin delivery (AID), mobile health (mHealth) applications, artificial intelligence (AI), and personalized digital care models. A transformative shift in diabetes management has been encountered, it is influenced by innovations in digital health technologies, development of revolutionary novel therapies and emergence of integrated care strategies.(Zarkogianni and Nikita, 2015; Fagherazzi, Ravaud and Roussy, 2018; Fan and Zhao, 2022; Sherr *et al.*, 2022)Electronic health records (EHRs), artificial intelligence (AI), mobile health (mHealth) platforms, and disease registries incorporates an assortment of digitalized healthcare tools for modern diabetes care and control. These collaboratively provide real-time report of patient data, thus improving clinical decision making and enhanced engagement of patients and caregivers.(Agarwal *et al.*, 2019; Koot *et al.*, 2019; Eberle, Löhnert and Stichling, 2021; Klonoff *et al.*, 2023). In modern world, diabetes management is no longer limited to just keeping the blood sugar levels in check, but empowering patients and care takers through incorporation of innovation, technology and ensuring equitable access to healthcare(Riazi *et al.*, 2015; Unnikrishnan *et al.*, 2018; Andrès *et al.*, 2020; Daly and Hovorka, 2021; Gardner *et al.*, 2025). Digital tools are redefining the conventional diabetes treatment approaches which is applicable from bustling cities to remote villages, thus rewriting the script for diabetes monitoring, treatment and lifestyle adjustments(Iqbal, Qadir and Asif, 2017)(Spanakis *et al.*, 2012).Additionally they are giving people the freedom to manage their health with greater confidence and less guesswork(Rodbard, 2017; Elbalshy *et al.*, 2022; Sherr *et al.*, 2022; Friedman *et al.*, 2023). To close care gaps in underserved rural areas the configuration of hybrid telemedicine setups, mobile clinics, and invaluable work of community health workers are leading the way to close gaps in care and treatments for diabetes mellitus(Massey *et al.*, 2010; Hunt, Henderson and Chapman, 2018; AlQassab *et al.*, 2024). In places like Greece, educational programs which are web-based are training individuals with educational guidance on the domain how to live healthier lives(Chrysi *et al.*, 2023), while Italian studies comparing insulin systems such as MiniMed and Tandem highlight the importance to find the right tech match for diabetes which can make a real difference in long-term outcomes(Bassi *et al.*, 2022). It is proven that diabetes care requires individual attention, tailored treatment plans rather than same for all approaches.

Simple solutions can also prove to have powerful impacts on patients' lifestyles. Simpler SMS tools continue to help physicians to stick therapeutic guidelines, providing a reminder that innovation doesn't always mean complexity (16). For example a study was done in Lahore by N.R Hashmi, through which physician started to send a humble SMS reminder to diabetes patients, it helped them stick to diabetes care guidelines, proving that even basic mobile tools can elevate care quality in low-resource settings(Hashmi and Khan, 2018) Meanwhile, myo-inositol supplements and fetal growth measurements exhibited promising results in managing gestational diabetes, but the evidence provided about this relationship requires further research and analysis(Crawford *et al.*, 2015). One study explored the clinical usefulness of fetal biometry test along with maternal glycemic values to guide therapy in GDM and the prevention of adverse perinatal outcomes compared to the maternal glycemic values alone and the study concluded the need for well-designed studies to confirm its clinical utility(Rao *et al.*, 2019). Interest in diabetes tech is growing in several countries like Saudi Arabia, but systemic barriers like limited insurance coverage, lack of public awareness, and poorly designed devices are slowing the progression of technology integration in diabetes management. Solution of these issues require developing efficient gadgets, educational and skill-based training, and smart health policies development(Al-Nozha *et al.*, 2022).

Drug classes such as GLP-1 and SGLT2 inhibitors help control blood sugar levels along with protecting heart and kidneys(Olanrewaju *et al.*, 2023). The ultimate advancement in emerging therapies like Retatrutide, which target multiple hormones at once, potentially managing both

diabetes and obesity in a single treatment. It is a breakthrough for people living with both conditions(Kundnani *et al.*, 2024). Technology and medication now work together. Telemedicine is not a pandemic trend in rural regions anymore(AlQassab *et al.*, 2024; Lundgrin *et al.*, 2025). Hybrid care models combine virtual visits with occasional in-person touch points show the best results, especially with technology being made accessible and understandable. Review studies of trends in diabetes tech prove CGMs and insulin pens as game changers in diabetes management. But realization of benefits cannot be done unless we also address gaps in affordability and availability. Innovation without inclusion leaves too many behind(Lundgrin *et al.*, 2025).

Exploring new therapeutic approaches like Transcutaneous Auricular Vagus Nerve Stimulation (TAVNS) has the potential to influence metabolic health in novel ways(Zhang *et al.*, 2025). Smart devices, wearable trackers, and cloud-connected systems are making it convenient for doctors and patients to stay on the same page. Technological challenges are also there to deal with. Costs, digital skills, and data privacy concerns are the hurdles that still require attention and responsible decisions to be made before consideration of these methods. Therefore, we require thoughtful regulation and broad-based education to guarantee helpfulness of tech(Alzawahreh *et al.*, 2000; Coda *et al.*, 2018). Closed-loop systems essentially artificial pancreases are particularly promising, automated insulin delivery systems that reduce the risk of low blood sugar levels(Gonder-Frederick *et al.*, 2016; Janez *et al.*, 2021). There is a relationship between adverse childhood experiences (ACEs) and diabetes management, emphasizing the need for ACE screening and trauma-informed care in diabetes management(Ostrem, 2022).

Management of type 1 diabetes in children presents unique challenges, as maintaining near-normal blood glucose levels is crucial to prevent long-term complications while avoiding hypoglycemia-related cognitive impairments. Diabetes technology including CSII, CGM, and closed-loop systems, has significantly improved glycemic control in pediatric T1D patients(Shalitin and Peter Chase, 2011).

The SWEET project launched in 2008 also found better glycemic control in children and adolescents following modern technologies like insulin pumps and CGM(Gerhardsson *et al.*, 2021).

In LMICs (low- and middle-income countries), the potential and efficacious interventions for diabetes management by digital medical technology is factually proved, still hindrances like economic constraints, social stigmas and inadequately trained practitioners still pose barriers. For bridging this gap, the formulation and implementation of policies that address local needs while fostering community comprehension from the grassroots level becomes a necessity(Nadeem *et al.*, 2021).

TECHNOLOGIES FOR DIABETES MANAGEMENT

Role of Telemedicine in Modernized Diabetes Management

From historical practices such as bloodletting and ledger-based recordkeeping to the contemporary innovations of Smart Applications and Biosensors, diabetes care exemplifies one of the most celebrated advancements in medicine, with telemedicine serving as a prime illustration, particularly in the management of type 2 diabetes(Andrès *et al.*, 2020). The most effective approach proved for management of diabetes is evidently the hybrid model which incorporates remote monitoring along with periodic physical consultations. The opportunities attained by these advances must not be overlooked, still the barriers like inadequate access to internet, apprehensiveness associated with new technologies, and overburdened situation of the clinicians and care takers need to be addressed. Direct public and private investments and enhancement of infrastructure are the proposed resolutions for these silos.

According to available data, even among high-income groups such as U.S. veterans, clinical outcomes improved when supplemented with even a modicum of in-person care compared to exclusive virtual care. Patients grappling with type

2 diabetes exhibited the most significant enhancements in blood sugar control, while those with type 1 diabetes experienced somewhat less improvement, and individuals with pre-diabetes realized modest benefits(AlQassab *et al.*, 2024). It appears that mobile applications, despite their potential, encounter significant challenges in user retention and efficacy in delivering tangible results. A notable attrition occurs after the initial cohort of users, and alterations in metrics such as blood sugar levels are often negligible. The design of these applications must emphasize more than mere aesthetics; it necessitates a focus on meaningful change and timing predicated on actual outcomes. While mobile applications incorporating AI features such as digital coaching and automatic dosage adjustments, they demand continuous evaluation and oversight to ensure safety. Concurrently, enhancing digital literacy among the elderly and those frequently overlooked necessitates the provision of simple, user-friendly guides that can yield substantial benefits(Gonder-Frederick *et al.*, 2016).

Standardization of Diabetes Management Apps

Diabetes management is often confusing for both users and researchers, mainly due to the apps used which are not standardized. So, there is a need for developing standard guidelines which will further help developers to develop apps that could be easily usable and ensure patient satisfaction. On the other hand, AI (Artificial intelligence) is starting to make a remarkable tread towards predicting potential complications associated with diabetes and in diagnosing diabetic eye disease. Again, the effectiveness of AI is hindered by the data quality AI is trained with. To avoid any biasness in the treatment and diagnosis the provision of comprehensive and reliable data is the basic requirement(David and Rafiullah, 2016; Sugandh *et al.*, 2023). In rural settings the promising tools for healthcare professionals which assist in collaboration and efficient patient data transfer are cloud platforms. Success is compromised due to several limitations such as lack of personnel training and internet stability issues.

Electronic Medical Records (EMRs) have a major role in supporting coordinated care, especially when EMRs are integrated with real time monitoring tools(Phillip *et al.*, 2021). This approach leads to considerate improvement in HbA1c levels.

Smart insulin pens are less invasive and more convenient for people not opting for insulin pumps, enabling users and health care professionals to manage and refine doses and timing for better management(Heinemann *et al.*, 2022; Steenkamp *et al.*, 2022; Lundgrin *et al.*, 2025). However, close attention must be paid to cybersecurity as the number of connecting devices is increased. Strong data security measures and stringent controls should be employed to protect personal health information. Multifaceted datasets should be used to avoid bias in AI models.

Addition of modules in lifestyle focused mobile apps

The addition of different modules in lifestyle focused mobile apps like coaching, goal tracking and feedback responses will have a long-lasting impact on user's habits and lifestyle(Lim *et al.*, 2021).

Digital coaching platforms

The digital coaching platforms, especially those grounded in behavioral science, are making a difference by offering personalized support. But innovation alone isn't enough. True healthcare equity means ensuring that everyone, regardless of income or location, can access these life-changing resources. Government should take initiatives and improve infrastructure to empower communities without any disparities(Unnikrishnan *et al.*, 2018).

Utilization of Modern Technologies in Diabetes Care

In the span of modern technology applications in diabetes management there is a broad spectrum of innovative approaches like glucose monitoring devices to AI integration in clinical decision support systems. The key domains of Modern Technology Innovation are as follows:

Continuous Glucose Monitoring (CGM):
FDA's approval for OTC CGM devices is a paradigm shift in modern diabetes management and reduction of HbA1c levels(Afridi et al., 2025). CGM is a glucose monitoring system that provides real-time glucose tracking and enables dynamic therapy and lifestyle adjustments.
CGM includes the following different types(Friedman et al., 2023).

Real-time CGM (rtCGM):
Real-time glucose monitoring tool is a diabetes measuring tool that helps in diabetes management as it displays blood glucose levels in real-time, every few minutes. The CGM kit includes a sensor inserted under the skin that monitors the interstitial fluid. The data is transmitted to a receiver via sensor. The receiver can be a handheld device or a smartphone with an app to display real-time glucose levels. This method allows the patients and caretakers to monitor the glucose spike with each meal and see how treatment adjustments and lifestyle modifications affect glucose management. The beneficial aspect of the device is it provides alerts for high or low blood glucose levels. This real time insight can improve diabetes management and reduce patient's discomfort of finger's soreness due to multiple pricks. It can serve as a lifesaver, as it alerts the patients of potentially dangerous low or high blood glucose levels. Enhanced glycemic control via CGM has a significant role in diabetes control, particularly in Type 1 diabetes (TID), by increasing time-in-range (TIR).

Intermittently scanned CGM (isCGM*)*
This type of CGM is also known as Flash Glucose Monitoring (FGM). The main distinction of CGM from rtCGM is the manual scanning to retrieve glucose information rather than automatic data transmission. This method contributes insights into glucose fluctuations over time. The data is displayed along with graphs and trends to represent glucose fluctuations over time. However, rtCGM typically doesn't provide automatic alerts for low or high glucose levels. The beneficial aspect of this method is that it provides a complete insight of the patient's changing glucose levels throughout day and night, helping the decision makers to adjust insulin doses and lifestyle changes. Reducing hospitalizations and better cost and insurance coverage. Example of tech perspective utilizing CGM is for patients with gestational diabetes. Research was done to compare insulin infusion pumps with daily subcutaneous insulin injections which showed similar results, thus offering women the flexibility ***to*** choose what fits their lives best(Farrar et al., 2016).

Professional CGM
This includes specialized CGM systems like the DexCom 6 Pro, it offers advanced
features and is tailored for use in clinical settings, thus enables accurate and personalized treatment plans. The features like remote BSR monitoring, data analysis tools and customizable alerts support medicinal decisions. The tailored treatment plans lead to better diabetes management and provide translated guides to facilitate integration of CGM(Friedman *et al.*, 2023).

Automated Insulin Delivery (AID):
The most advanced usage of modern technology is the development of AID systems(Jaser *et al.*, 2025). Smart Insulin and Glucose Responsive systems integrated with CGM data provide data to insulin pumps which then deliver insulin using controlled algorithms. Improved glycemic metrics and quality of life can be achieved using Hybrid closed-loop systems e.g. Medtronic 780G, Tandem Control-IQ. The results demonstrated by both were different in demonstrations. DIY AID systems have enabled technologically skilled patients to take greater control of their own care. The future advances like next-gen bi-hormonal systems (insulin + glucagon) are in development(Bassi *et al.*, 2022; Afridi *et al.*, 2025). The lack of interoperability among these diabetes monitoring devices including glucose monitors and insulin pumps, constrains the effectiveness of their usage and applications. The recommendations for adoption of these devices propose usage of open communication protocols to ensure seamless data

exchange, improve user experience, and optimize outcomes(Silk, 2016; Nimri *et al.*, 2020).

Mobile Health (mHealth) Applications:
Mobile Health Applications are lifestyle support apps developed for tracking physical activity, diet, insulin logging and providing educational content. Meta-analyses reveal a significant reduction in HbA1c with utilization of mHealth apps. Modernized features like real-time feedback, integration with wearable devices like smart watch etc. Greater efficacy is linked with clinician communication(Eberle, Löhnert and Stichling, 2021; Fan and Zhao, 2022; Ruiz-Leon *et al.*, 2025).

Mobile Technology for Active Lifestyle in T2DM
Promising outcomes in encouragement of short-term physical activity among individuals with Non-Insulin Dependent Diabetes Mellitus (NIDDM) by regular utilization of wearable devices. Long-term achievement of goals requires motivation which is a challenge. Thus, the utilization of mobile tech requires sustaining emphasis on the need for behavioral incorporation along with development of adaptive feedback systems(McMillan *et al.*, 2017).

Smart Tech in T2DM Management
`Enhanced management of NIDDM including real-time data monitoring, cloud synchronization, and AI-driven predictions by using smart technology can be used. Pressing issues like usability concerns, regulatory gaps, and data privacy needs to be addressed for broader implementation(Daly and Hovorka, 2021; Chua *et al.*, 2024; Mallik *et al.*, 2024).

Mobile Monitoring for Gestational Diabetes
Gestational diabetes Mellitus is the leading cause of pre-eclampsia, cesarean complications and hemorrhage, these are major causes of maternal mortality. Mobile health interventions for gestational diabetes mellitus (GDM) demand for improved patient education, medication adherence, and self-monitoring. However, the effectiveness of these tools depends heavily on intuitive design and user-friendly interfaces(Sandu *et al.*, 2020; Garg *et al.*, 2022).

TECHNOLOGY PERCEPTIONS IN PAKISTAN
Digital health technologies in Pakistan shows great capability. The adoptive hindrance in these methods are financial constraints, societal stigma, limited awareness among personnel and lack of financial resources. Essential strategies to enhance education, affordability and community trust are crucial for the expansion of technology reach.
A study related to Mobile Phone Intervention for Diabetes in Rural Pakistan was performed. The study included 15-day mobile phone call interventions in rural Pakistan, which resulted in significantly improved outcomes in management of diabetes such as reductions in HbA1c levels, enhanced physical activity for informed patients and adherence to dietary modifications. This approach highlighted the capability of simple, low-cost digital intervention strategies in resource constrained healthcare settings('Mobile_phone_intervention_to_improve_dia', no date).

Artificial Intelligence and Machine Learning:
Reshaping diabetes care by incorporation of Artificial Intelligence (AI) offers precise, data-driven insights into disease and therapy. It helps in prediction of future complications along with adjustment of medication doses (39–42).
Artificial Intelligence increased medical approachability by enhancing disease diagnosis, treatment protocols and speeding up the drug discovery process by rapid analysis of data with utmost precision. It led to development & improvement in patient centered treatment approaches streamlining healthcare systems including physicians, pharmacists and healthcare staff. However, several ethical and privacy considerations are raising due to AI integration in medicine.
In diabetes management AI facilitates early diagnosis by analyzing patterns and risk stratification. It optimizes insulin dosing algorithms. Proactive interventions by prediction of early symptoms of hypoglycemia and

advancement of personalized care plans based on biometric and behavioral data are all attributed to AI(Gawel *et al.*, 2018). FDA approved AI tools include retinal screening systems like IDx-DR and insulin dose advisors like Advisor Pro(Nomura *et al.*, 2021; Makroum *et al.*, 2022; Ding *et al.*, 2023). The field of AI-driven medicine is advancing expeditiously, tailoring treatment regimen to individual risk profiles. However, if the data utilized to develop these tools lacks diversity and transparency, it may inadvertently reinforce the very biases it seeks to eliminate. This underscores the necessity for policies that are pertinent at the local level and the cultivation of grassroots awareness from the community (40,41). Rapid evolution in treatment strategies due to AI incorporation in medicine can particularly attribute to tailoring of customized care plans in accordance with specific risk factors. Non-comprehensive and inaccessible data employed in the planning and designing of these tools may lead to perpetuating the aimed biases rather than resolving it.

Telemedicine and Digital Clinics:

A major leap forward in healthcare accessibility and efficiency is the advancement of telemedicine and digital clinics. Virtual Diabetes Clinics (VDC) deliver comprehensive remote care, integrates CGM data, provides teleconsultations, and cloud-based platforms. Reduced therapeutic inertia and dealing Health care professional shortages are major fields of AI integration.

The barriers in implementation of these include reimbursement, interoperability and patient data privacy(AlQassab *et al.*, 2024).

Artificial Intelligence & Medical-Engineering Integration in Diabetes Management

A transformative role in management of Diabetes Mellitus is simulated by AI due to the timely insights into predictive capabilities of disease onset and enhanced accuracy in diagnosis, which advance into tailored personalized treatments. By interpreting data in real time, it assists with telehealth. However, the actual hinderance in worldwide clinical adoption is correlated with practical barriers like algorithmic bias, safety concerns regarding professional data and inadequate clinicians training(Ma *et al.*, 2025).

Emerging and Experimental Technologies:

Rapidly evolving innovations are shaping the future of medicine and creating new opportunities.

Innovative techniques i.e. nanotechnology for insulin delivery(Shoaib *et al.*, 2023),Closed-Loop Artificial Pancreas Systems e.g. iLet Bionic Pancreas and Omnipod 5, smart insulin pens, bioengineered dressings for diabetic foot ulcers(Jiang *et al.*, 2023; Bus *et al.*, 2024), and stem cell-based beta cell regeneration are being explored and analyzed. Stem Cell Therapy & Islet Cell Implants - Stem-cell derived islet cellse.g. Vertex, ViaCyte. Devices like PEC-Encapcan provide protection to implanted cells from immune attack. (4).

Natural compound "Momordicacharantia" commonly known as bitter melon have exhibited encouraging results in glycemic regulation. Standardization and safety persist concerns regarding its use(Liu *et al.*, 2021).

Biotech in Diabetes

Biotechnology advancements including GLP-1(Glucagon-like peptide 1) receptor agonists and islet cell therapy, provide promising outcomes for diabetes patients. When combined with AI tools, these therapies furnish personalized, responsive care models that extends beyond conventional insulin therapies(Ben Nasr and Fiorina, 2015; Bode *et al.*, 2021; Nolan *et al.*, 2022; Olanrewaju *et al.*, 2023).

Efficacy of Digital and Technological Interventions

Considerable efficacy has been demonstrated by utilization of modern technology in management of Diabetes:

- **Continuous Glucose Monitoring (CGM) systems** prove to be more efficacious than **Self-Monitoring of Blood Glucose (SMBG)** when it comes to controlling blood sugar levels in patients who already have **poor blood sugar control** at the

start with HbA1c levels higher than 8%('s00125-021-05648-4', no date; Laha *et al.*, 2022).

- AID Systems improves Time in Range (TIR), reduces glycemic variability, and decreases diabetes distress.
- mHealth Apps lead to modified self-care protocols and medicine managements by patients.
- The utilization of AI Systems in management of diabetes mellitus matches and for some instances it even exceeds clinician performance in insulin titration and complication risk modeling.

The incorporation of digital tools into routine healthcare is correlated with improved patient adherence, fewer hospital admissions, and overall increase in patient satisfaction(Agarwal *et al.*, 2019; Stevens *et al.*, 2022; Mumtaz *et al.*, 2023).

Challenges and Barriers to Implementation

Despite these benefits, several systemic and structural challenges hinder widespread adoption:

- Cost and Reimbursement: High device costs and limited insurance coverage restrict access to CGM, AID, and AI-based tools.
- Health Literacy and Usability: Older adults and underserved populations often lack the digital skills or resources to use modern tools effectively.
- Data Privacy and Ethics: The continuous collection of health data raises ethical concerns around consent, storage, and misuse.
- Interoperability and Standardization: Fragmented digital ecosystems limit data sharing across platforms and providers.
- Regulatory Oversight: Many technologies, particularly DIY systems and AI algorithms, require clearer regulatory guidance for clinical use(Sherr *et al.*, 2022; Friedman *et al.*, 2023; Mumtaz *et al.*, 2023; Ma *et al.*, 2025).

Future Directions and Recommendations

The anticipated period of diabetes management lies in consolidated, extensive, and automated care systems:

Artificial intelligence-enabled precision medicine: Personalized treatment rooted in individual genetic, metabolic, and behavioral profiles via predictive analytics and machine learning.

Comprehensive healthcare availability and equitable outcomes: Expansion of digital literacy-based programs, sponsoring costs of devices, and securing rural connectivity to reduce divergence.

Cutting edge technology- Closed-Loop Systems: Progressing towards completely automated, bihormonal systems with minimal user intervention.

Codified Data Ecosystems: Creating universal protocols for device interoperability, clinical metrics (e.g., TIR), and cloud integration.

Ethical and Legal Regulation Guidelines: Implementation of international protocols for data governance, algorithm validation, and patient consent.

Integrated Telemedicine Services: Promoting collaborative care models that integrate endocrinology, mental health, and digital coaching via telehealth.

1 Conclusion

The execution of modern technology for diabetes has redefined the conventional practices of diagnosis, monitoring and management. Advancements like CGM, AID, AI-enabled platforms, and mobile health applications are refining the outcomes of diabetes management, strengthening patient behaviors, and optimizing care delivery processes. To prevail advancements in healthcare for diabetes management we must overcome barriers associated with affordability, literacy, equity, and regulation. The integration of advanced technologies into routine diabetes care requires a coordinated, multidisciplinary effort focused on innovation, access, and ethical responsibility. With continued research and policy support, digital and AI-powered solutions hold immense potential to transform diabetes care into a proactive, personalized, and equitable health service for all. Modern diabetes management is built on care, personalization, and empowerment.

Now, the real challenge is making sure this future reaches everyone—fairly, ethically, and effectively (12,14).

REFERENCES

Afridi, Z. et al. (2025) 'Transformative Advances in Continuous Glucose Monitoring and the Impact of FDA Over-the-Counter Approval on Diabetes Care', Health Science Reports. John Wiley and Sons Inc. Available at: https://doi.org/10.1002/hsr2.70747.

Agarwal, P. et al. (2019) 'Mobile app for improved self-management of type 2 diabetes: Multicenter pragmatic randomized controlled trial', JMIR mHealth and uHealth, 7(1). Available at: https://doi.org/10.2196/10321.

Al-Nozha, O.M. et al. (2022) 'Diabetic Patients' Perspective About New Technologies Used in Managing Diabetes Mellitus in Saudi Arabia: A Cross-Sectional Study', Cureus [Preprint]. Available at: https://doi.org/10.7759/cureus.25038.

Aloke, C. et al. (2022) 'Current Advances in the Management of Diabetes Mellitus', Biomedicines. MDPI. Available at: https://doi.org/10.3390/biomedicines10102436.

AlQassab, O. et al. (2024) 'Evaluating the Impact of Telemedicine on Diabetes Management in Rural Communities: A Systematic Review', Cureus [Preprint]. Available at: https://doi.org/10.7759/cureus.64928.

Alzawahreh, Salah et al. (2000) 'The Improving Effects of Diabetes Education on Diabetes Awareness and Management in Children and Adolescents with T1DM', Open Journal of Nursing, 14, pp. 164–175. Available at: https://doi.org/10.4236/ojn.2024.144011.

Andrès, E. et al. (2020) Current and Emerging Technologies for Diabetes Care, Issue 1 Endocrinol Diabetes Metab J. Available at: www.diabetesincontrol.com/new-smart-pens-hoped-to-change-the-.

Bassi, M. et al. (2022) 'A Comparison of Two Hybrid Closed-Loop Systems in Italian Children and Adults With Type 1 Diabetes', Frontiers in Endocrinology, 12. Available at: https://doi.org/10.3389/fendo.2021.802419.

Bode, B. et al. (2021) 'Leveraging advances in diabetes technologies in primary care: a narrative review', Annals of Medicine. Taylor and Francis Ltd., pp. 805–816. Available at: https://doi.org/10.1080/07853890.2021.1931427.

Bus, S.A. et al. (2024) 'Offloading and adherence through technological advancements: Modern approaches for better foot care in diabetes', Diabetes/Metabolism Research and Reviews. John Wiley and Sons Ltd. Available at: https://doi.org/10.1002/dmrr.3769.

Chrysi, M.S. et al. (2023) 'A modern web-based health promotion program for patients in Greece with diabetes 2 and obesity: an interventional study', BMC Public Health, 23(1). Available at: https://doi.org/10.1186/s12889-023-15557-3.

Chua, R.E.C. et al. (2024) 'Effectiveness of wearable technology-based physical activity interventions for adults with type 2 diabetes mellitus: A systematic review and meta-regression', Journal of Diabetes. John Wiley and Sons Inc. Available at: https://doi.org/10.1111/1753-0407.70002.

Coda, A. et al. (2018) 'Exploring the Effectiveness of Smart Technologies in the Management of Type 2 Diabetes Mellitus', Journal of Diabetes Science and Technology, 12(1), pp. 199–201. Available at: https://doi.org/10.1177/1932296817711198.

Crawford, T.J. et al. (2015) 'Antenatal dietary supplementation with myo-inositol in women during pregnancy for preventing gestational diabetes', Cochrane Database of Systematic Reviews. John Wiley and Sons Ltd. Available at: https://doi.org/10.1002/14651858.CD011507.pub2.

Daly, A. and Hovorka, R. (2021) 'Technology in the management of type 2 diabetes: Present status and future prospects', Diabetes, Obesity and Metabolism. John Wiley and Sons Inc, pp. 1722–1732. Available at: https://doi.org/10.1111/dom.14418.

David, S.K. and Rafiullah, M.R.M. (2016) 'Innovative health informatics as an effective modern strategy in diabetes management: A critical review', International Journal of Clinical Practice, 70(6), pp. 434–449. Available at: https://doi.org/10.1111/ijcp.12816.

Ding, J. et al. (2023) 'Machine learning for the prediction of atherosclerotic cardiovascular disease during 3-year follow up in Chinese type 2 diabetes mellitus patients', Journal of Diabetes Investigation, 14(11), pp. 1289–1302. Available at: https://doi.org/10.1111/jdi.14069.

Dovc, K. and Battelino, T. (2020) 'Evolution of Diabetes Technology', Endocrinology and Metabolism Clinics of North America. W.B. Saunders, pp. 1–18. Available at: https://doi.org/10.1016/j.ecl.2019.10.009.

Eberle, C., Löhnert, M. and Stichling, S. (2021) 'Effectiveness of disease-specific mHealth apps in patients with diabetes mellitus: Scoping review', JMIR mHealth and uHealth. JMIR Publications Inc. Available at: https://doi.org/10.2196/23477.

Elbalshy, M. et al. (2022) 'Effect of divergent continuous glucose monitoring technologies on glycaemic control in type 1 diabetes mellitus: A systematic review and meta-analysis of randomised controlled trials', Diabetic Medicine. John Wiley and Sons Inc. Available at: https://doi.org/10.1111/dme.14854.

Fagherazzi, G., Ravaud, P. and Roussy, G. (2018) Digital diabetes: perspectives for diabetes prevention, management and research. Available at: https://www.elsevier.com/open-access/userlicense/1.0/.

Fan, K. and Zhao, Y. (2022) 'Mobile health technology: a novel tool in chronic disease management', Intelligent Medicine. Elsevier B.V., pp. 41–47. Available at: https://doi.org/10.1016/j.imed.2021.06.003.

Farrar, D. et al. (2016) 'Continuous subcutaneous insulin infusion versus multiple daily injections of insulin for pregnant women with diabetes', The Cochrane database of systematic reviews, (6), p. CD005542. Available at: https://doi.org/10.1002/14651858.CD005542.pub3.

Friedman, J.G. et al. (2023) 'Use of Continuous Glucose Monitors to Manage Type 1 Diabetes Mellitus: Progress, Challenges, and Recommendations', Pharmacogenomics and Personalized Medicine. Dove Medical Press Ltd, pp. 263–276. Available at: https://doi.org/10.2147/PGPM.S374663.

Gardner, D.S.L. et al. (2025) 'Digital Health Technology in Diabetes Management in the Asia–Pacific Region: A Narrative Review of the Current Scenario and Future Outlook', Diabetes Therapy [Preprint]. Adis. Available at: https://doi.org/10.1007/s13300-025-01692-0.

Garg, N. et al. (2022) 'Application of Mobile Technology for Disease and Treatment Monitoring of Gestational Diabetes Mellitus Among Pregnant Women: A Systematic Review', Journal of Diabetes Science and Technology. SAGE Publications Inc., pp. 491–497. Available at: https://doi.org/10.1177/1932296820965577.

Gawel, W.B. et al. (2018) 'How modern technologies improve daily diabetic control', Pediatric Endocrinology, Diabetes and Metabolism, 24(3), pp. 140–144. Available at: https://doi.org/10.5114/pedm.2018.80996.

Gerhardsson, P. et al. (2021) 'The SWEET Project 10-Year Benchmarking in 19 Countries Worldwide Is Associated with Improved HbA1c and Increased Use of Diabetes Technology in Youth with Type 1 Diabetes', Diabetes Technology and Therapeutics, 23(7), pp. 491–499. Available at: https://doi.org/10.1089/dia.2020.0618.

Gonder-Frederick, L.A. et al. (2016) 'Psychology, technology, and diabetes management', American Psychologist, 71(7), pp. 577–589. Available at: https://doi.org/10.1037/a0040383.

Hashmi, N.R. and Khan, S.A. (2018) 'Interventional study to improve diabetic guidelines adherence using mobile health (m-Health) technology in Lahore, Pakistan', BMJ Open, 8(5). Available at: https://doi.org/10.1136/bmjopen-2017-020094.

Heinemann, L. et al. (2022) 'Digital Diabetes Management: A Literature Review of Smart Insulin Pens', Journal of Diabetes Science and Technology, 16(3), pp. 587–595. Available at: https://doi.org/10.1177/1932296820983863.

Hunt, C.W., Henderson, K. and Chapman, R. (2018) 'Using Technology to Provide Diabetes Education for Rural Communities', Online Journal of Rural Nursing and Health Care, 18(2), pp. 134–151. Available at: https://doi.org/10.14574/ojrnhc.v18i2.525.

Iqbal, A., Qadir, M.I. and Asif, M. (2017) 'Modern technologies in management of diabetes', Journal of College of Medical Sciences-Nepal, 13(2), pp. 296–301. Available at: https://doi.org/10.3126/jcmsn.v13i2.16921.

Isma'il, S., Isma'il, M. Y. and Umar, A. F. (2024) '"Diabetes Mellitus", the Then and Now', UMYU Journal of Microbiology Research (UJMR), pp. 388–394. Available at: https://doi.org/10.47430/ujmr.2493.046.

Janez, A. et al. (2021) 'Hybrid Closed-Loop Systems for the Treatment of Type 1 Diabetes: A Collaborative, Expert Group Position Statement for Clinical Use in Central and Eastern Europe', Diabetes Therapy, 12(12), pp. 3107–3135. Available at: https://doi.org/10.1007/s13300-021-01160-5.

Jaser, S.S. et al. (2025) 'SCI – U: Validation of an updated Self-Care Inventory for contemporary diabetes management in adolescents with type 1 diabetes', Diabetes Research and Clinical Practice, 224. Available at: https://doi.org/10.1016/j.diabres.2025.112218.

Jiang, P. et al. (2023) 'Current status and progress in research on dressing management for diabetic foot ulcer', Frontiers in Endocrinology. Frontiers Media SA. Available at: https://doi.org/10.3389/fendo.2023.1221705.

Klonoff, A.N. et al. (2023) 'Six Digital Health Technologies That Will Transform Diabetes', Journal of Diabetes Science and Technology. SAGE Publications Inc., pp. 239–249. Available at: https://doi.org/10.1177/19322968211043498.

Koot, D. et al. (2019) 'A mobile lifestyle management program (Glycoleap) for people with type 2 diabetes: Single-arm feasibility study', JMIR mHealth and uHealth, 7(5). Available at: https://doi.org/10.2196/12965.

Kundnani, N.R. et al. (2024) 'Biotechnology Revolution Shaping the Future of Diabetes Management', Biomolecules. Multidisciplinary Digital Publishing Institute (MDPI). Available at: https://doi.org/10.3390/biom14121563.

Laha, S. et al. (2022) 'A Concise and Systematic Review on Non-Invasive Glucose Monitoring for Potential Diabetes Management', Biosensors. MDPI. Available at: https://doi.org/10.3390/bios12110965.

Lim, S.L. et al. (2021) 'Effect of a Smartphone App on Weight Change and Metabolic Outcomes in Asian Adults with Type 2 Diabetes: A Randomized Clinical Trial', JAMA Network Open, 4(6). Available at: https://doi.org/10.1001/jamanetworkopen.2021.12417.

Liu, Z. et al. (2021) 'The Effect of Momordica charantia in the Treatment of Diabetes Mellitus: A Review', Evidence-based Complementary and Alternative Medicine. Hindawi Limited. Available at: https://doi.org/10.1155/2021/3796265.

Lundgrin, E.L. et al. (2025) 'Diabetes Technology Trends: A Review of the Latest Innovations', Journal of Clinical Endocrinology and Metabolism, 110, pp. S165–S174. Available at: https://doi.org/10.1210/clinem/dgaf034.

Ma, S. et al. (2025) 'Artificial intelligence and medical-engineering integration in diabetes management: Advances, opportunities, and challenges', Healthcare and Rehabilitation, 1(1), p. 100006. Available at: https://doi.org/10.1016/j.hcr.2024.100006.

Makroum, M.A. et al. (2022) 'Machine Learning and Smart Devices for Diabetes Management: Systematic Review', Sensors. MDPI. Available at: https://doi.org/10.3390/s22051843.

Mallik, R. et al. (2024) 'The future is here: an overview of technology in diabetes', Diabetologia [Preprint]. Springer Science and Business Media Deutschland GmbH. Available at: https://doi.org/10.1007/s00125-024-06235-z.

Massey, C.N. et al. (2010) Improving Diabetes Care in Rural Communities: An Overview of Current Initiatives and a Call for Renewed Efforts, • CLINICAL DIABETES. Available at: http://diabetesjournals.org/clinical/article-pdf/28/1/20/499318/20.pdf.

McMillan, K.A. et al. (2017) 'A Systematic and Integrated Review of Mobile-Based Technology to Promote Active Lifestyles in People with Type 2 Diabetes', Journal of Diabetes Science and Technology. SAGE Publications Inc., pp. 299–307. Available at: https://doi.org/10.1177/1932296816656018.

'Mobile_phone_intervention_to_improve_dia' (no date).

Mumtaz, H. et al. (2023) 'Current challenges and potential solutions to the use of digital health technologies in evidence generation: a narrative review', Frontiers in Digital Health. Frontiers Media SA. Available at: https://doi.org/10.3389/fdgth.2023.1203945.

Nadeem, S. et al. (2021) 'Perceptions and Understanding of Diabetes Mellitus Technology in Adults with Type 1 or Type 2 DM: A Pilot Survey from Pakistan', Journal of Diabetes Science and Technology, 15(5), pp. 1052–1058. Available at: https://doi.org/10.1177/1932296821101199.

Ben Nasr, M. and Fiorina, P. (2015) 'Novel therapies for T1D on the horizon', Pharmacological Research, 98, pp. 1–2. Available at: https://doi.org/10.1016/j.phrs.2015.03.019.

Nimri, R. et al. (2020) 'Insulin Pump Therapy', American Journal of Therapeutics, 27, pp. 30–41. Available at: www.americantherapeutics.com.

Nolan, J.J. et al. (2022) 'ADA/EASD Precision Medicine in Diabetes Initiative: An International Perspective and Future Vision for Precision Medicine in Diabetes', Diabetes Care. American Diabetes Association Inc., pp. 261–266. Available at: https://doi.org/10.2337/dc21-2216.

Nomura, A. et al. (2021) 'Artificial Intelligence in Current Diabetes Management and Prediction', Current Diabetes Reports. Springer. Available at: https://doi.org/10.1007/s11892-021-01423-2.

Olanrewaju, O.A. et al. (2023) 'Novel Therapies in Diabetes: A Comprehensive Narrative Review of GLP-1 Receptor Agonists, SGLT2 Inhibitors, and Beyond', Cureus [Preprint]. Available at: https://doi.org/10.7759/cureus.51151.

Ostrem, F. (2022) 'Insulin pricing in the USA: the saga continues', THE LANCET Diabetes & Endocrinology, 10, pp. 695–696. Available at: https://doi.org/10.1377/forefront.

Penfornis, A., Personeni, E. and Borot, S. (2011) 'Evolution of devices in diabetes management.', Diabetes technology & therapeutics. Available at: https://doi.org/10.1089/dia.2011.0058.

Phillip, M. et al. (2021) 'The Digital/Virtual Diabetes Clinic: The Future Is Now-Recommendations from an International Panel on Diabetes Digital Technologies Introduction', Diabetes Technology and Therapeutics, 23(2), pp. 146–154. Available at: https://doi.org/10.1089/dia.2020.0375.

Rao, U. et al. (2019) 'Fetal biometry for guiding the medical management of women with gestational diabetes mellitus for improving maternal and perinatal health', Cochrane Database of Systematic Reviews, 2019(9). Available at: https://doi.org/10.1002/14651858.CD012544.pub2.

Riazi, H. et al. (2015) 'Managing diabetes mellitus using information technology: A systematic review', Journal of Diabetes and Metabolic Disorders, 14(1). Available at: https://doi.org/10.1186/s40200-015-0174-x.

Rodbard, D. (2017) 'Continuous glucose monitoring: A review of recent studies demonstrating improved glycemic outcomes', Diabetes Technology and Therapeutics, 19, pp. S25–S37. Available at: https://doi.org/10.1089/dia.2017.0035.

Ruiz-Leon, A.M. et al. (2025) 'Efficacy of a Mobile Health–Based Behavioral Treatment for Lifestyle Modification in Type 2 Diabetes Self-Management: Greenhabit Randomized Controlled Trial', Journal of Medical Internet Research, 27. Available at: https://doi.org/10.2196/58319.

's00125-021-05648-4' (no date).

Sandu, C. et al. (2020) 'Gestational diabetes modern management and therapeutic approach (Review)', Experimental and Therapeutic Medicine, 21(1). Available at: https://doi.org/10.3892/etm.2020.9512.

Shalitin, S. and Peter Chase, H. (2011) 'Diabetes technology and treatments in the paediatric age group.', International journal of clinical practice. Supplement, pp. 76–82. Available at: https://doi.org/10.1111/j.1742-1241.2010.02582.x.

Sherr, J.L. et al. (2022) 'Automated Insulin Delivery: Benefits, Challenges, and Recommendations. A Consensus Report of the Joint Diabetes Technology Working Group of the European Association for the Study of Diabetes and the American Diabetes Association', Diabetes Care, 45(12), pp. 3058–3074. Available at: https://doi.org/10.2337/dci22-0018.

Shoaib, A. et al. (2023) 'A Nanotechnology-Based Approach to Biosensor Application in Current Diabetes Management Practices', Nanomaterials. MDPI. Available at: https://doi.org/10.3390/nano13050867.

Silk, A.D. (2016) 'Diabetes Device Interoperability for Improved Diabetes Management', Journal of Diabetes Science and Technology. SAGE Publications Inc., pp. 175–177. Available at: https://doi.org/10.1177/1932296815595051.

Spanakis, E.G. et al. (2012) 'Diabetes Management Using Modern Information and Communication Technologies and New Care Models', Interactive Journal of Medical Research, 1(5), p. e8. Available at: https://doi.org/10.2196/ijmr.2193.

Steenkamp, D. et al. (2022) 'Adherence and Persistence to Insulin Therapy in People with Diabetes: Impact of Connected Insulin Pen Delivery Ecosystem', Journal of Diabetes Science and Technology. SAGE Publications Inc., pp. 995–1002. Available at: https://doi.org/10.1177/1932296821997923.

Stevens, S. et al. (2022) 'The effectiveness of digital health technologies for patients with diabetes mellitus: A systematic review', Frontiers in Clinical Diabetes and Healthcare. Frontiers Media SA. Available at: https://doi.org/10.3389/fcdhc.2022.936752.

Sugandh, F. et al. (2023) 'Advances in the Management of Diabetes Mellitus: A Focus on Personalized Medicine', Cureus [Preprint]. Available at: https://doi.org/10.7759/cureus.43697.

Tobias, D.K. et al. (2023) 'Second international consensus report on gaps and opportunities for the clinical translation of precision diabetes medicine', Nature Medicine, 29(10), pp. 2438–2457. Available at: https://doi.org/10.1038/s41591-023-02502-5.

Unnikrishnan, R. et al. (2018) 'Technology in the management of diabetes mellitus', Journal of Diabetology, 9(1), p. 3. Available at: https://doi.org/10.4103/jod.jod_4_17.

Zarkogianni, K. and Nikita, K.S. (2015) 'Special issue on emerging technologies for the management of diabetes mellitus', Medical and Biological Engineering and Computing. Springer Verlag, pp. 1255–1258. Available at: https://doi.org/10.1007/s11517-015-1422-4.

Zhang, K. et al. (2025) 'Future horizons in diabetes: integrating AI and personalized care', Frontiers in Endocrinology, 16. Available at: https://doi.org/10.3389/fendo.2025.1583227.

IEER
Institute for Excellence in Education & Research