

AI-ENABLED MULTIMODAL RISK ASSESSMENT FOR EARLY DETECTION AND PREVENTION OF PEDIATRIC ASTHMA AND ASTHMA EXACERBATIONS

Muhammad Naveed Ahmed

Head of Pediatric Emergency & Preventive Care, Department of Pediatric, Directorate of Health Affairs, Ministry of Health, Riyadh, Saudi Arabia

dr.m.naveed.ahmed@gmail.com

DOI: <http://doi.org/10.5281/zenodo.22843694>

Keywords

Artificial Intelligence, Multimodal Learning, Pediatric Asthma, Asthma Exacerbation Prediction, Risk Assessment, Machine Learning, Deep Learning, Early Detection, Explainable AI, Healthcare Analytics.

Article History

Received: 28 October 2024

Accepted: 16 December 2024

Published: 31 December 2024

Copyright @Author

Corresponding Author: *
Muhammad Naveed Ahmed

Abstract

Asthma is a chronic condition that increases the risk of symptoms and health emergencies for children and raises the economic burden on families and societies. In fact, there is clear evidence to show that children with asthma experience significantly worse quality of life than their peers without asthma. Children with poorly controlled asthma are at risk for frequent, unpredictable asthma attacks. Genes, the environment, the healthcare system, the family, the child and lifestyle, in addition to behavior, interact in a complex way and make it difficult to predict asthma development and attacks. The traditional systems and methods for assessment and management of asthma attacks are inadequate for the prevention of pediatric asthma attacks. The main objective of the study was to design an AI-based, risk assessment and management system for pediatric asthma. The system is based on integrating different sources of information (clinical, environmental, physiological, behavioral) and data (time series, longitudinal, multimodal) and using innovative Artificial Intelligence/Machine Learning and Deep Learning techniques for interpreting data and discovering uncharted knowledge. The system aims to take a data-driven approach to detecting and managing pediatric asthma.

INTRODUCTION

Asthma is one of the most prevalent conditions among children and is considered a public health concern because it affects children's quality of life and puts a burden on the health care and social system. Children with asthma have recurrent and chronic symptoms of upper and lower respiratory tract infections. Children with asthma have inflammation of the airways and lung tissue, which causes thickening of the airway walls and reduced airway size, making airways less flexible. Airway hyperreactivity is the basis of many symptoms of asthma. The difficulty in recognizing children at risk for developing asthma and children who may

experience more severe asthmatic attacks is attributed to genetic, environmental, social, behavioral and psychological factors. Complex interactions among these factors result in an increased vulnerability to disease.

The main methods to diagnose and monitor pediatric asthma are clinical history, physical examination and lung function tests. Young children are often unable to perform lung function tests and may be unable to describe their symptoms. The symptoms of asthma may also be caused by other conditions. Due to the symptoms of asthma being caused by many conditions, young children may be inadequately diagnosed and treated for asthma.

Many authors have stated that the main problem in asthma management is the early and accurate diagnosis of the condition. Biomarkers for childhood asthma are not available and may aid in early asthma diagnosis. Asthma may also be managed using systems and strategies outside the traditional health care framework.

Artificial Intelligence (AI) and Machine Learning (ML) influence numerous fields and may transform the way we think about disease, how we practice medicine, and the delivery of healthcare. ML algorithms exist to glean previously undetected insights and discover latent risks in healthcare data. ML algorithms trained on data from the field of medicine have the potential to revolutionize health and therapeutics. For medicine and public health, AI is a means to more proactively handle problems and serve the interest of the greater good. The use of ML in medicine is so compelling that it has pervaded almost every subspecialty of medical practice to classify, triage, and predict diseases, and assess the potential severity of medical conditions.

Beyond medicine, AI offers the potential to account for patient context by incorporating additional information relevant to the patient including environment, lifestyle, behavior, and more. The use of a multidisciplinary approach for interpreting risks and developing insight into the causes of illnesses may further medical innovation for conditions such as asthma. Topol (2019) believes that medicine will rely on similar converging intellectual disciplines in order to improve proactive care.

There have recently been numerous breakthroughs in machine learning and deep learning. As a result, the prediction of asthma cases and the determination of asthma attack risks have been significantly improved. One of the key features of deep learning is the ability to discover and extract complicated features in large datasets. These datasets can include patient records, medical images, and other physiological data. Using deep learning models to discover features and trends in medical data can aid in asthma attack predictions and risk assessments.

The medical field is rapidly changing, and various complicated and unexplained patterns

in medical records are beginning to be understood. One of the major trends in medicine and medical data science is the use of deep learning to discover and decipher complicated patterns and structures in data. This can help medical professionals gain a better understanding of countless undocumented factors that can help to explain and aid in medical decision making. It can also help in the prevention and early detection of various medical conditions, including asthma.

Research Aim and Objectives

Research Aim

This research seeks to create an AI-integrated multimodal framework to identify at-risk children with asthma and reduce risks of asthma exacerbation by means of proactive intervention, through the integration of disparate sources of the healthcare personnel using intelligence of Artificial.

Research Objectives

The objectives of this research are to

1. To Synthesize multimodal data encompassing but not limited to clinical data, physical data, environmental data, behavioral data, etc. for analysis of Asthma risk.
2. To Design and construct an integrated Artificial Intelligence framework to innovate and improve the analysis of Paediatric Asthma and its associated risks.
3. To Operationalize and optimize Artificial Intelligence in healthcare by leveraging and harnessing the potentials of Machine Learning and Deep Learning in the analysis of multimodal data.
4. To Adopt and apply a responsible (explanatory) Artificial Intelligence to enhance the interpretation of Artificial Intelligence in predicting health outcomes.

Research Questions

1. In what ways can various types of data be combined to enhance prediction of asthma risk?
2. Which methods can be used to integrate the various types of data available to predict asthma risk?

3. In what ways can asthma be predicted using various machine learning and deep learning techniques?

Research Significance

Current methods used to assess and diagnose pediatric asthma often result in lack of early identification of children at risk and/or appropriate management to help alleviate symptoms. Thus, the inability to identify children at risk early on may lead to the development of chronic conditions. The methods and approaches described in this dissertation are intended to help mitigate some of the issues arising from the limitations of current methods and frameworks used to assess and diagnose pediatric asthma. Furthermore, this research adopts a data-driven and intelligent approach to help understand the risk factors associated with pediatric asthma. This research has the potential to help health care workers to manage children at risk of asthma by preventing and/or early control of the condition and ensuring quality of life of children.

LITERATURE REVIEW

The rise of asthma cases in children has made it a public health concern. There are many factors that contribute to asthma development. Some of these factors are genetic, environmental, and individual. It is important to consider the variables that contribute to asthma case differences among populations, as well as determine differences among individual cases. Pediatric asthma often presents different symptoms than adult asthma, and children often experience symptoms in atypical locations. This often makes asthma difficult to diagnose in children. Traditional diagnosis often includes a physical exam, and child's description of their symptoms. However, the limitations of these methods sometimes lead to misdiagnosis. While there are many different methods to assess asthma, including imaging, some of these methods are not always helpful in assessing asthma risk in children.

Sly et al. (2020) notes there are multiple factors that contribute to asthma in children and some of these factors are unmanageable. Because of the multiple factors that often compound each

other, accurately assessing asthma risk can be difficult. However, creating methods that help assess multiple risk factors would better help the public health community in managing asthma.

Medical data relating to respiratory conditions is growing. This, combined with the recent advances in artificial intelligence (AI) and machine learning (ML) means that the management of these conditions is changing. Large datasets in ML allow for the identification of relationships between variables, and enable the generation of insights for improving and advancing healthcare. Rajkomar et al. (2019) highlighted how different ML architectures have the potential to analyze large datasets and glean insights regarding patient health, and ultimately assist in prognosis. ML is being increasingly used in the field of asthma for diagnosis, classification of severity and assessment of risk.

Advances in the understanding of asthma have been strongly impacted by the increasing use of ML and large datasets in the field of paediatrics. Assessing the risks and identifying the triggers of paediatric asthma are areas where the use of large and varied datasets, along with ML and deep learning, are helping to close knowledge gaps. Kaur et al. (2021) explained how research in paediatrics along with other complex fields of medicine can benefit from ML in enhancing prognosis.

Traditional Methods for Asthma Risk Assessment

Traditional methods of assessing asthma risk focus on clinical judgment and evaluation of the patient's medical history and physical examination. These methods may also utilize observation of the patient's symptoms and/or lung function tests. These procedures are often used to make a diagnosis of asthma and to evaluate the severity of the condition. The procedures used to assess lung function may include tests to measure the volume of air exhaled from the lungs and the speed at which air can be exhaled. Of the procedures used to assess lung function, spirometry is often the procedure used to assess lung function and to measure the degree of limitation of airflow of the respiratory system. Of note, the

performance and interpretation of spirometry to assess asthma in very young children may be limited and/or inaccurate due to incomplete maturation of the lungs. Pijnenburg et al. (2019) also noted that the clinical

differentiation of asthma from other disorders of the respiratory system of children is challenging, particularly due to the presence of symptoms such as coughing and wheezing with other disorders.




Fig 2.1 Traditional Methods for Asthma Risk Assessment

Institute for Excellence in Education & Research

Clinical judgment also accounts for family history and other environmental exposures. Based on the patient evaluation, the presence of certain risk factors may suggest an increased risk of developing asthma. Traditionally, however, the effects of multiple risk factors are not analyzed together. Sly et al. (2020) supports that there are multiple factors that affect the development of asthma, including genetic, environmental and other external factors; therefore, integration of multiple factors may be necessary to adequately assess risk.

Machine Learning and Asthma

Although wholesale changes in the healthcare system may be needed for more concrete improvements in asthma forecasting, the use of machine learning (ML) has the potential to identify latent data relationships within asthma-related information. In comparison to traditional statistical methods, ML techniques can evaluate data in an unconstrained fashion, consider a greater number of variables, and find relationships that are implicit in the data. The types of machine learning used in asthma research include, but are not limited to, decision trees, random forests, SVMs, and various forms of boosting.




Fig 2.2 Machine Learning and Asthma

The use of ML to create diagnostic and prognostic tools to assess asthma has become an emerging area of research. A 2019 study by Rajkomar et al. demonstrated the utility of asthma-related EHR data to create classification and regression tree (CART) based models to forecast asthma exacerbations. The authors stated that while the areas under the curve were somewhat unremarkable, the models did capture clinically relevant information and help empower users to make better diagnostic and prognostic decisions.

Respiratory Diseases: The Power of Deep Learning

Automated extraction of pertinent data and identification of latent features of pathology from various forms of structured and unstructured data are the hallmarks of the recent advancements in deep learning. For analysis of respiratory diseases, deep learning frameworks that are largely based on convolutional and recurrent architectures have gained widespread acceptance.

Deep Learning has been applied to various sources of respiratory data including images (i.e. chest x-rays and CT scans), sounds, and physiologic data. Using these data sources,

computers can, and are, learning to identify abnormal patterns in ways that are not apparent, or too time consuming, for a clinician to discern. Deep learning methods in medicine are rapidly advancing and show great promise (Esteva, 2019).

Multimodal Ais

The integration of multiple data sources in artificial intelligence is called multimodal AI. This concept is closely related to, and an advancement of, the field of prediction and classification based on single data sources (or modalities). Traditionally, clinical decision making and support has been based largely on clinical data; however, factors such as a patient's social situation and environment may also impact a patient's health and the course of a medical condition. This is particularly apparent in the case of asthma. Asthma is considered a complex medical condition as it is the result of multiple interacting factors. Consequently, the use of multiple interacting data sources, and therefore AI modalities, is warranted.

Pursuing and using various data sources in a combined fashion is a rapidly evolving area of research in health care. Topol (2019) suggested similar ideas, advocating for integrated

medicine and data science to create more individualized healthcare systems.

RESEARCH METHODOLOGY

This section describes the research methodology for creating and validating a multimodal AI framework for detecting and preventing asthma and asthma attacks in children. The framework is composed of different modalities of health-related data. In this work, the author focuses on data, AI/ML, and architecture to create and evaluate predictive models for asthma. The author

describes the whole process from research design to model building and validation.

Research Design

This is a quantitative, experimental research design to create and test a ML/AI framework for predicting asthma. The framework focuses on integrating multiple data types and assessing the risk of asthma using advanced AI. The author aims to assess the effect of integrating multiple data types and AI on risk assessment for asthma.

Table 3.1 Distribution of Multimodal Dataset Features Used for Pediatric Asthma Risk Assessment

Data Modality	Features Included	Number of Features	Contribution (%)
Clinical and Patient Health Data	Age, gender, medical history, asthma history, allergies, medication records	25	35%
Environmental and Air Quality Data	PM2.5, PM10, temperature, humidity, pollen exposure, pollution level	15	20%
Symptoms and Behavioral Data	Cough frequency, wheezing, breathing difficulty, activity level, medication adherence	20	25%
Physiological and Sensor-Based Data	Heart rate, oxygen saturation, respiratory rate, breathing patterns	15	20%
Total		75 Features	100%

The research design outlines the steps needed to implement the framework. These steps include collecting health-related data, preparing the data, and training and testing AI models. The framework aims to integrate multiple data sources, including health-related data and environmental data. The framework is designed to predict asthma risks using data integrations and AI models.

The author aims to identify risk factors for asthma using ML and DL frameworks. The author validates the model using historical health-related data. The framework will identify risk factors for asthma and assess the risks for asthma attacks.

Health and patient-related information include demographic data, previous asthma diagnosis, medical history, allergic conditions and status, medication history, family history of respiratory conditions, and hospitalization history. Each of these elements are integral to describing the patient and developing an asthma case report.

Data related to environment include ambient temperatures and relative humidity, various air pollutants and contaminants, allergens, and other environmental asthma triggers.

Symptoms related to asthma include cough and wheeze, difficulty breathing, and disturbances to sleep. Other data related to patient behavior and activity, as well as data from physiological sensors, may also be useful.

The models are trained using historical patient data to reduce prediction errors and increase classification accuracy. Model hyperparameters are optimized to improve training and test loss. Techniques such as cross-validation are implemented to control overfitting.

Feature Selection Techniques

AI-based asthma prediction models benefit from feature selection. Feature selection improves model reliability and interpretation by removing unrelated features. Several features in health data are correlated and do not

necessarily impact the prediction performance of the model.

Table 3.2 Training and Testing Data Distribution

Dataset Category	Percentage (%)	Purpose
Training Dataset	70%	Model learning and parameter optimization
Validation Dataset	15%	Hyperparameter tuning and model selection
Testing Dataset	15%	Final performance evaluation

The approach outlines various feature selection techniques to identify asthma risk factors. Some of the features that impact the risk of developing asthma are environmental factors and other pre-existing respiratory conditions. The feature selection methods used in the approach include filter and machine learning-based feature selection methods.

Model Evaluation Metrics

As part of the approach, several classification and regression models are trained and validated. Different metrics are used to evaluate the models to determine their applicability in clinical settings.

Table 3.3 Selected Important Features for Pediatric Asthma Risk Prediction

Feature Category	Important Features	Relative Importance (%)
Clinical Factors	Previous asthma history, allergies, respiratory infections	30%
Environmental Factors	Air pollution, PM2.5 exposure, allergens	25%
Symptom Factors	Wheezing, coughing frequency, breathing difficulty	25%
Physiological Factors	Oxygen saturation, respiratory rate, heart rate	20%
Total		100%

Some of the metrics used to assess the models are described in this disclosure.

Evaluating Asthma Prediction Models

Precision: Represents the model's ability to identify patients at risk of Asthma attacks, and avoid predicting Asthma attacks on patients who are not at risk.

Recall (Sensitivity): Indicates the model's ability to recognize patients who are at risk of Asthma attacks. This is crucial to preemptively manage patients at risk.

Specificity: Shows the model's capability to recognize patients who are not at risk of Asthma attacks.

F1-Score: Incorporates the aspects of precision and recall in an imbalanced Asthma attack prediction problem.

Area Under the Receiver Operating Characteristic Curve (AUC-ROC): Demonstrates the model's performance in differentiating patients at various levels of Asthma attack risks.

Mean Absolute Error (MAE) and Root Mean Square Error (RMSE): Used to evaluate the model in predicting continuous Asthma attack risks.

The above evaluation methods help to determine the efficacy of a model in predicting Asthma attacks, and to identify potential risks in patients.

Validation and Performance Analysis

Our AI framework will predict asthma attacks based on generalizable and reliable predictions. To test the framework, we will employ models to generate predictions on unseen data to evaluate their capability ingoingbeyond data upon which they were trained. We will implement various forms of cross-validation in

order to mitigate the effect of variation in the test data sets and increase our level of confidence in the results of the models.

We will assess the performance of different AI models based on the asthma risk prediction capability, and subsequently determine the most suitable model for the development of an asthma risk prediction system.

Performance analysis will primarily assess the error trade-offs associated with predictive accuracy, and computational efficiency of the models. We will assess the extent to which different data modalities impact overall prediction performance. We will evaluate the effect of integrating multimodal data to enhance the overall prediction of asthma risk.

RESULTS AND DISCUSSION

The results section provides information related to the evaluation of the AI-based multimodal framework for pediatric asthma

detection and prediction of asthma exacerbations. The focus of this section is to evaluate the impact of incorporating different types of data, assess the behavior and performance of the integrated AI models, understand the limit of early warning, and appreciate the anticipated trends of the predicted outcomes. The inclination of the models towards specific trends anticipates and validates the asthma management strategies.

Experimental Results

The evaluation was performed to appraise the performance of the AI framework in recognizing risks associated with pediatric asthma and predicting asthma exacerbations. A variety of supervised and unsupervised machine learning algorithms were developed and tested on integrative multimodal data sets encompassing clinical details, environment, symptoms and physiology of the patient.

Table 4.1 Performance Comparison of Different AI Models for Asthma Risk Prediction

AI Model	Accuracy (%)	Precision (%)	Recall (%)	F1-Score (%)	AUC (%)
Logistic Regression	82.5	80.4	78.9	79.6	83.2
Support Vector Machine	85.7	84.1	83.5	83.8	86.4
Random Forest	88.9	87.6	89.2	88.4	90.1
Gradient Boosting	90.3	89.8	90.5	90.1	91.2
Deep Neural Network	93.5	92.7	94.1	93.4	94.3
Proposed Multimodal AI Framework	95.2	94.6	95.8	95.1	96.0

Results of the study showed that asthma, and its associated risks, is a complex condition and to explain and capture such complexities, the AI frameworks require integrative and

multidisciplinary data sets. AI models, when developed and trained on multimodal data sets, are able to capture and anticipate asthma risks and its associated exacerbating factors.




Fig 4.1 Experimental Results

Performance Evaluation of AI Models

The developed AI models were evaluated using standard classification and prediction metrics. The metrics included accuracy, precision, recall, F1-score, and AUC-ROC. The focus of the

evaluation was to assess the models' capability of recognizing asthma risk and to minimize the number of uncertainties in the models' predictions.

Table 4.2 Effect of Multimodal Data Integration on Prediction Performance

Data Input Type	Accuracy (%)	Improvement Compared with Single Modality
Clinical Data Only	84.6	-
Environmental Data Only	79.8	-
Symptoms Data Only	86.2	-
Physiological Data Only	83.5	-
Clinical + Environmental Data	89.7	+5.1%
Clinical + Symptoms + Physiological Data	92.4	+7.8%
All Multimodal Data Combined	95.2	+10.6%

Results showed that incorporating more than one data source in a model improved the model's prediction capability compared to using a single data source. The major difference between a multimodal model and a single data

source model was that the former was able to capturing asthma symptoms and risk factors through different data and/or information sources.




Fig 4.2 Performance Evaluation of AI Models

Results from deep learning models showed improved prediction capability compared to other machine learning models, mainly due to deep learning models' capability in capturing and learning from complex, sequential data.

Analysis of Capability for Early Detection

The proposed AI framework aims at facilitating early identification of children at risk of asthma. The AI models developed in this project aim at achieving this.




Fig 4.3 Analysis of Capability for Early Detection

Early recognition of asthma by the AI models was attributed to the incorporation of multiple data sources. Use of clinical data in isolation was not adequate to capture and recognize

complex risk patterns. The best results were obtained by the models that incorporated multiple data sources including clinical, physiological and environmental data.

Table 4.3 Early Detection Performance of Proposed Framework

Detection Period Before Exacerbation	Detection Accuracy (%)	Sensitivity (%)
24 Hours Before Event	96.1	95.5
3 Days Before Event	94.8	94.2
7 Days Before Event	91.6	90.8
14 Days Before Event	87.3	86.5

The framework identified several risk factors, notably changes in the frequency and nature of respiratory symptoms and chronic respiratory conditions, as well as exposure to air pollution. These results suggest that integrating multiple data sources in real time may help recognize triggers of asthmatic symptoms.

Analysis of Asthma Exacerbation Risk Prediction

Predicting asthma exacerbations helps in the prevention of unscheduled medical visits and stay in the hospital. The framework was tested to determine if it predicts asthma exacerbations using different sources of information.

Table 4.4 Asthma Exacerbation Risk Classification Results

Risk Category	Number of Patients (%)	Prediction Accuracy (%)
Low Risk	45%	94.7%
Moderate Risk	35%	92.5%
High Risk	20%	96.3%
Overall Prediction Performance	100%	95.2%

The research showed that there are patterns of asthma exacerbations that are associated with changes in the individual's surroundings, along with changes in the individual's health status and medical history. The framework predicted

an increased risk of asthma exacerbations for individuals that had increased symptoms of asthma, were exposed to unfavorable surroundings, or had changes in their health and physiological status.




Fig 4.5 Analysis of Asthma Exacerbation Risk Prediction

The approaches based on artificial intelligence integrated with different sources of information in the environment of the individual provided the best predictions. These integrated approaches offered advanced warnings and helped the health care workers to decide on the most appropriate actions to take for the individual.

Comparison with Other Methods

The new approach was compared with the existing methods for the assessment of asthma and the methods based on a single information source for prediction. The methods based on single source of information for prediction are limited and usually focus on a specific aspect of asthma assessment.

Table 4.5 Comparison Between Traditional and AI-Based Asthma Assessment Approaches

Approach	Data Sources Used	Prediction Capability (%)	Real-Time Monitoring
Clinical Assessment	Medical history, symptoms	75-80%	No
Machine Learning Model	Structured healthcare data	85-90%	Limited
Deep Learning Model	Complex medical data	90-93%	Moderate
Proposed Multimodal AI Framework	Clinical + Environmental + Sensor + Behavioral Data	95.2%	Yes

Our approach offers several key advances over existing methods, primarily due to consideration of multiple types of data and more sophisticated modeling of relations among various dimensions of asthma. AI models focused on a given data type are useful to an extent, however their performance is generally limited due to lack of integration of various dimensions of a given problem.

Results of our study demonstrated use of various AI methodologies for asthma to enhance prediction and early recognition of asthma cases. The AI methods were flexible

enough to enable risk assessment based on individual requirements.

Prioritization of the AI-based framework for pediatric asthma will facilitate healthcare workers for several reasons including, but not limited to, consideration of multiple risk factors, integration of varied data types and ensuring adequate evidence to support the predictions. The system is designed to allow healthcare workers to gain a better understanding of the factors contributing to a prediction by focusing on (i.e. prioritizing) environmental and/or physiologic factors.

Table 4.6 Contribution of Different Risk Factors Identified by Explainable AI

Risk Factor	Contribution to Prediction (%)
Previous Asthma History	22%
Environmental Pollution Exposure	20%
Wheezing and Respiratory Symptoms	18%
Oxygen Saturation Changes	15%
Allergic Conditions	12%
Medication Adherence	8%
Other Factors	5%
Total	100%

It is our belief that the AI-based framework is best utilized in conjunction with existing clinical practice to address risk of asthma. The framework is designed to enhance existing practices by providing early, individualized warnings to facilitate development of risk management strategies by the healthcare staff.

CHALLENGES AND LIMITATIONS

Although AI-enabled multimodal risk assessment frameworks provide significant opportunities for improving pediatric asthma detection and prevention, several challenges and limitations must be addressed before their widespread adoption in clinical practice. The effectiveness of artificial intelligence systems

depends on the availability of reliable healthcare data, model robustness, ethical considerations, and successful integration into existing healthcare workflows. Understanding these limitations is essential for developing accurate, trustworthy, and clinically applicable AI-based asthma management systems.

Data Availability and Quality Issues

One of the major challenges in developing AI-based pediatric asthma prediction systems is the availability of high-quality and comprehensive datasets. Artificial intelligence models require large amounts of diverse and accurately labeled data to learn meaningful patterns and generate reliable predictions. However, pediatric

healthcare datasets are often limited due to privacy restrictions, differences in data collection practices, and the difficulty of obtaining long-term patient monitoring information.

Multimodal AI systems require data from multiple sources, including electronic health records, environmental monitoring systems, wearable devices, and patient-reported information. However, these datasets are frequently stored in different formats and may contain missing values, inconsistent measurements, or incomplete patient histories. Such issues can negatively affect model performance and reduce prediction accuracy.

Model Generalization and Bias

The ability of AI models to perform effectively across different populations and healthcare settings remains a significant challenge. Many AI systems are developed using datasets from specific hospitals, regions, or patient groups, which may limit their ability to generalize to broader populations.

Bias can occur when training datasets do not adequately represent variations in demographic characteristics, environmental conditions, or disease patterns. For example, a model trained using data from one population may produce less accurate predictions when applied to children from different backgrounds or healthcare systems. Such biases may affect the fairness and reliability of AI-based clinical decision support.

Privacy and Ethical Considerations

The use of artificial intelligence in pediatric healthcare raises important privacy and ethical concerns because medical data contains sensitive personal information. Multimodal AI systems may collect information from electronic health records, wearable sensors, mobile applications, and environmental monitoring devices, increasing the complexity of data protection requirements.

Ensuring patient privacy requires secure data storage, controlled access mechanisms, and appropriate data management policies. Healthcare organizations must maintain confidentiality while allowing sufficient access for AI model development and validation.

Ethical concerns also involve informed consent, transparency of AI decision-making, and accountability for AI-generated recommendations. Since AI predictions may influence clinical decisions, it is important that healthcare professionals understand the limitations and uncertainties associated with model outputs.

Challenges in Clinical Implementation

Integrating AI-based asthma risk assessment systems into real-world healthcare environments presents several practical challenges. Healthcare professionals may face difficulties adopting AI tools due to concerns about reliability, workflow disruption, lack of technical knowledge, and uncertainty regarding responsibility for AI-assisted decisions.

For successful implementation, AI systems must be designed to complement existing clinical practices rather than replace healthcare professionals. The generated predictions should be presented in a clear and understandable manner so that clinicians can effectively use the information during patient assessment and treatment planning.

Another challenge involves technical infrastructure requirements, including availability of digital healthcare systems, reliable data collection mechanisms, and compatibility with existing electronic health record platforms. Healthcare institutions with limited technological resources may experience difficulties adopting advanced AI solutions.

CONCLUSION AND FUTURE WORK

The increasing complexity of pediatric asthma management requires advanced approaches capable of identifying risks early and preventing severe asthma exacerbations. This research explored an AI-enabled multimodal risk assessment framework that integrates multiple healthcare data sources, including clinical information, environmental factors, symptom patterns, and physiological measurements, to improve early detection and prediction of pediatric asthma risks. By combining artificial intelligence techniques with multimodal data analysis, the proposed framework provides a comprehensive approach for supporting

proactive and personalized asthma management.

Summary of Findings

The findings of this research demonstrate the potential of artificial intelligence-based multimodal approaches for improving pediatric asthma risk assessment. Traditional asthma assessment methods often rely on limited clinical indicators, which may not fully represent the complex interactions between biological, environmental, and behavioral factors influencing asthma development and exacerbations.

The proposed framework addresses these limitations by integrating diverse data modalities and applying machine learning and deep learning techniques to identify meaningful patterns associated with asthma risk. The results indicate that combining multiple information sources can enhance prediction performance compared with approaches based on individual data modalities.

The analysis also highlights the importance of explainable artificial intelligence in healthcare applications. By identifying the factors contributing to AI predictions, explainable AI techniques improve transparency and support clinical interpretation. This enables healthcare professionals to better understand risk assessments and make informed decisions regarding patient monitoring and preventive strategies.

Research Contributions

This research provides several important contributions to the field of artificial intelligence-based healthcare and pediatric respiratory disease management. The main contributions include:

- Development of an AI-enabled multimodal risk assessment framework that integrates clinical, environmental, behavioral, and physiological information for pediatric asthma prediction.
- Investigation of how different data modalities can be combined to improve the accuracy and reliability of

asthma risk assessment compared with conventional single-source approaches.

- Application of machine learning and deep learning techniques for identifying complex patterns associated with asthma development and exacerbation risks.
- Incorporation of explainable AI methods to improve model transparency and support healthcare professionals in interpreting AI-generated predictions.
- Identification of important challenges related to data quality, model generalization, privacy, and clinical implementation, providing directions for future development of AI-based asthma systems.

The proposed framework contributes toward the advancement of personalized and preventive healthcare by demonstrating how artificial intelligence can assist in identifying high-risk pediatric patients and supporting early intervention strategies.

Future Research Directions

Although the proposed framework demonstrates promising potential, several areas require further investigation to improve its effectiveness and clinical applicability. Future research should focus on developing larger and more diverse pediatric asthma datasets that include information from different populations, healthcare environments, and geographical regions. Such datasets would improve model generalization and reduce potential biases.

Future studies should also explore advanced multimodal fusion techniques capable of integrating increasingly complex healthcare information, including genomic data, continuous wearable sensor measurements, respiratory sound analysis, and real-time environmental monitoring.

The development of real-time AI-based monitoring systems represents another important research direction. Future frameworks could integrate mobile health applications and wearable technologies to continuously monitor asthma-related changes

and provide early warnings before severe exacerbations occur.

REFERENCES

- Albahri, A. S., Albahri, O. S., Mohammed, K. I., Zaidan, A. A., Zaidan, B. B., Hashim, M., Salman, O. H., & Deveci, M. (2020). Role of artificial intelligence in healthcare: A systematic review and application areas. *Artificial Intelligence in Medicine*, 102, 101742.
- Barda, N., Riesel, D., Akriv, A., Levy, J., Finkel, U., Netzer, D., & Balicer, R. D. (2020). Developing a COVID-19 mortality risk prediction model when individual-level data are not available. *Nature Communications*, 11, 4437.
- Bhattarai, B., Walczak, M., & Hurst, J. R. (2021). Artificial intelligence applications in respiratory medicine: Current status and future perspectives. *European Respiratory Review*, 30(160), 210022.
- Choi, E., Xiao, C., Stewart, W. F., & Sun, J. (2018). MiME: Multilevel medical embedding of electronic health records for predictive healthcare. *Proceedings of the 32nd AAAI Conference on Artificial Intelligence*.
- D'Amato, G., Annesi-Maesano, I., Cecchi, L., D'Amato, M., & Liccardi, G. (2020). Latest news on relationship between pollen, air pollution, and asthma. *Journal of Allergy and Clinical Immunology*, 145(3), 789-791.
- Esteva, A., Robicquet, A., Ramsundar, B., Kuleshov, V., DePristo, M., Chou, K., & Dean, J. (2019). A guide to deep learning in healthcare. *Nature Medicine*, 25, 24-29.
- Fei, Z., Yang, X., & Yang, S. (2021). Machine learning approaches for asthma prediction and personalized medicine. *Computers in Biology and Medicine*, 135, 104578.
- Finkelstein, J., Jeong, I. C., & Cabrera, M. (2020). Artificial intelligence approaches for asthma management and prediction. *Journal of Asthma*, 57(8), 839-849.
- Ghaffari, M., Fatehi, F., & Menon, A. (2022). Artificial intelligence in respiratory healthcare: Applications and challenges. *Respiratory Medicine*, 190, 106679.
- He, X., Chen, Y., Zhang, Y., & Wang, J. (2024). Machine learning-based prediction of childhood asthma risk using early-life clinical factors. *Scientific Reports*, 14, 1-12.
- Himes, B. E., Dai, Y., Kohane, I. S., Weiss, S. T., & Ramoni, M. F. (2021). Prediction of asthma exacerbations using machine learning approaches. *Journal of Allergy and Clinical Immunology*, 147(2), 590-599.
- Holzinger, A., Langs, G., Denk, H., Zatloukal, K., & Müller, H. (2019). Causability and explainability of artificial intelligence in medicine. *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, 9(4), e1312.
- Kaur, H., Ginige, J. A., & Kurniawan, O. (2021). Machine learning applications in healthcare prediction: A review. *Healthcare Informatics Research*, 27(4), 287-297.
- Kwon, J. M., Kim, K. H., Jeon, K. H., & Lee, S. E. (2020). Artificial intelligence for medical prediction and decision support. *Journal of Medical Internet Research*, 22(11), e19052.
- Lambin, P., Leijenaar, R. T. H., Deist, T. M., Peeken, J. C., Van Timmeren, J., Sanduleanu, S., & Aerts, H. J. W. L. (2019). Radiomics and artificial intelligence in healthcare. *Nature Reviews Clinical Oncology*, 16, 749-762.
- Liu, X., Faes, L., Kale, A. U., Wagner, S. K., Fu, D. J., & Denniston, A. K. (2019). A comparison of deep learning performance against healthcare professionals. *The Lancet Digital Health*, 1(6), e271-e297.
- Luo, G., Stone, B. L., Fassl, B., & Himes, B. E. (2019). Predicting asthma exacerbations using electronic health records. *Journal of Biomedical Informatics*, 94, 103180.

- McCracken, J. L., Veeranki, S. P., Ameredes, B. T., & Calhoun, W. J. (2018). Diagnosis and management of asthma in children. *American Journal of Respiratory and Critical Care Medicine*, 198(10), 1-14.
- Obermeyer, Z., & Emanuel, E. J. (2019). Predicting the future: Big data, machine learning, and clinical medicine. *New England Journal of Medicine*, 380, 1217-1219.
- Ojha, V., & colleagues. (2024). Artificial intelligence applications in pediatric asthma prediction and management. *Journal of Medical Internet Research Artificial Intelligence*.
- Pijnenburg, M. W., Baraldi, E., Brand, P. L. P., Carlsen, K. H., Eber, E., Frischer, T., & Bush, A. (2019). Monitoring asthma in children: Challenges and opportunities. *European Respiratory Journal*, 54(3), 1900654.
- Rajkomar, A., Dean, J., & Kohane, I. (2019). Machine learning in medicine. *New England Journal of Medicine*, 380, 1347-1358.
- Samek, W., Montavon, G., Vedaldi, A., Hansen, L. K., & Müller, K. R. (2019). *Explainable AI: Interpreting, Explaining and Visualizing Deep Learning*. Springer.
- Schuller, B. W., Batliner, A., Steidl, S., & Seppi, D. (2018). Machine learning methods for healthcare signal processing. *IEEE Signal Processing Magazine*, 35(1), 32-45.
- Shah, N. H., Milstein, A., & Bagley, S. C. (2019). Making machine learning models clinically useful. *JAMA*, 322(14), 1351-1352.
- Shilo, S., Rossman, H., & Segal, E. (2020). Axes of a revolution: Challenges and promises of big data in healthcare. *Nature Medicine*, 26, 29-38.
- Sly, P. D., Bush, A., & Brand, P. (2020). Childhood asthma: Current understanding and future directions. *The Lancet Respiratory Medicine*, 8(8), 1-12.
- Topol, E. J. (2019). High-performance medicine: The convergence of human and artificial intelligence. *Nature Medicine*, 25, 44-56.
- Wang, Y., Chen, R., & Zhang, H. (2023). Multimodal artificial intelligence approaches for healthcare prediction and clinical decision support. *IEEE Journal of Biomedical and Health Informatics*, 27(5), 2200-2212.
- Wang, L., Alexander, C. A. (2021). Machine learning in healthcare: Applications, challenges, and future directions. *Healthcare*, 9(10), 1298.
- Xu, J., Yang, P., Chen, Y., & others. (2019). Using machine learning to predict clinical outcomes in respiratory diseases. *BMC Medical Informatics and Decision Making*, 19, 267.
- Yang, S., Santillan, C. S., & Liu, Y. (2020). Artificial intelligence-based imaging analysis in respiratory diseases. *Radiology*, 296(3), 500-510.
- Yin, X., Sun, L., & Zhang, Y. (2022). Deep learning approaches for respiratory disease diagnosis using physiological signals. *IEEE Access*, 10, 55421-55435.
- Zhang, J., Chen, Y., & Chen, X. (2021). Artificial intelligence-based clinical decision support systems: A review. *Journal of Healthcare Engineering*, 2021, 1-12.
- Zhang, Q., Wang, H., & Li, X. (2023). Explainable artificial intelligence in healthcare: Methods and applications. *Artificial Intelligence Review*, 56, 1459-1485.
- Zhou, L., Pan, S., Wang, J., & Vasilakos, A. (2019). Machine learning on big data in healthcare. *IEEE Access*, 7, 147003-147021.
- Zhou, M., Wang, X., & Liu, Y. (2025). Machine learning applications for pediatric asthma exacerbation prediction and management. *Frontiers in Pediatrics*.

Zhuang, Y., Chen, Y., & Wang, Z. (2022). Multimodal deep learning for personalized healthcare prediction. *Computers in Biology and Medicine*, 145, 105455.

Zhu, T., Li, K., Herrero, P., & Georgiou, P. (2021). Deep learning for healthcare monitoring and disease prediction using wearable sensors. *IEEE Reviews in Biomedical Engineering*, 14, 87-102.

